

Handbook of GC-MS: Fundamentals and Applications, 4th Edition

Hans-Joachim Hübschmann

ISBN: 978-3-527-84762-4

[Handbook of GC-MS: Fundamentals and Applications, 4th Edition | Wiley](#)

March 2025, 928 pages




Table of Contents

Foreword xvii

Preface to the Fourth Edition xix

1 Introduction 1

1.1 The Historical Development of the GC-MS Technique 4

References 7

2 Fundamentals 9

2.1 Sample Preparation 9

2.1.1 QuEChERS Sample Preparation 11

2.1.2 Dispersive Liquid/Liquid Microextraction 17

2.1.3 Solid Phase Extraction 19

2.1.3.1 Online Solid Phase Extraction 24

2.1.3.2 Micro Solid Phase Extraction 25

2.1.4 Solid Phase Microextraction 27

2.1.4.1 Solid Phase Microextraction Devices 28

2.1.4.2 Solid Phase Microextraction Operation for GC-MS 36

2.1.4.3 Solid Phase Microextraction Sorbent Materials 42

2.1.5 Static Headspace Technique 49

2.1.5.1 Measures for Improved Headspace Response 53

2.1.5.2 Quantitation by Multiple Headspace Extraction 56

2.1.5.3 Headspace Analysis Operation 59

2.1.6 Dynamic Headspace – Purge & Trap Technique 62

2.1.6.1 Coupling of Purge and Trap with GC-MS Systems 63

2.1.6.2 Modes of Operation of Purge and Trap Systems 64

2.1.6.3 Static Headspace vs. Purge and Trap 70

2.1.7 Dynamic Headspace – In-Tube Extraction 76

2.1.8 Adsorptive Enrichment and Thermal Desorption 77

2.1.8.1 Sample Collection 81

| | | |
|------------|---|-----|
| 2.1.8.2 | Calibration | 82 |
| 2.1.8.3 | Desorption | 84 |
| 2.1.9 | Stir Bar Sorptive Extraction | 87 |
| 2.1.10 | Pyrolysis | 88 |
| 2.1.10.1 | Foil Pyrolysis | 90 |
| 2.1.10.2 | Curie Point Pyrolysis | 92 |
| 2.1.10.3 | Micro-Furnace Pyrolysis | 94 |
| 2.1.11 | Thermal Extraction (Outgassing) | 95 |
| 2.1.12 | Liquid Chromatography Clean-up | 98 |
| 2.1.13 | Pressurized Liquid Extraction | 100 |
| 2.1.13.1 | In-Cell Clean-up | 103 |
| 2.1.13.2 | In-Cell Hydrocarbon Oxidation | 105 |
| References | | 105 |
| 2.2 | Gas Chromatography | 128 |
| 2.2.1 | Sample Inlet Systems | 128 |
| 2.2.2 | Carrier Gas Regulation | 129 |
| 2.2.2.1 | Forward Pressure Regulation | 130 |
| 2.2.2.2 | Back Pressure Regulation | 131 |
| 2.2.2.3 | Carrier Gas Saving | 132 |
| 2.2.3 | Injection Port Septa | 134 |
| 2.2.3.1 | Septum Purge | 136 |
| 2.2.3.2 | The MicroSeal Septum | 136 |
| 2.2.4 | Injection Port Liner | 138 |
| 2.2.4.1 | Split Injection | 138 |
| 2.2.4.2 | Splitless Injection | 139 |
| 2.2.4.3 | Liner Activity and Deactivation | 140 |
| 2.2.4.4 | Liner Geometry | 142 |
| 2.2.5 | Hot Split/Splitless Sample Injection Techniques | 143 |
| 2.2.5.1 | Hot Needle Thermospray Injection Technique | 144 |
| 2.2.5.2 | Cold Needle Liquid Band Injection Technique | 147 |
| 2.2.5.3 | Filled Needle Injections | 147 |
| 2.2.5.4 | Split Injection | 148 |
| 2.2.5.5 | Splitless Injection (Total Sample Transfer) | 148 |
| 2.2.5.6 | Concurrent Solvent Recondensation | 150 |
| 2.2.5.7 | Concurrent Backflush | 151 |
| 2.2.6 | Temperature Programmable Injectors | 155 |
| 2.2.6.1 | PTV Injection Modes | 159 |
| 2.2.6.2 | Cryofocusing | 166 |
| 2.2.7 | Non-Vaporizing Injection Techniques | 168 |

| | | |
|----------|---|-----|
| 2.2.7.1 | On-Column Injection | 168 |
| 2.2.7.2 | PTV On-Column Injection | 171 |
| 2.2.7.3 | LC-GC Coupling | 171 |
| 2.2.8 | Capillary Column Choice and Separation Optimization | 173 |
| 2.2.8.1 | Choice of Carrier Gas | 174 |
| 2.2.8.2 | Optimization of the Carrier Gas Flow | 197 |
| 2.2.8.3 | Sample Capacity | 200 |
| 2.2.8.4 | Internal Diameter | 200 |
| 2.2.8.5 | Film Thickness | 202 |
| 2.2.8.6 | Column Length | 204 |
| 2.2.8.7 | Properties of Column Phases | 205 |
| 2.2.8.8 | Ionic Liquid Phases | 209 |
| 2.2.9 | Chromatography Parameters | 212 |
| 2.2.9.1 | The Chromatogram and its Meaning | 214 |
| 2.2.9.2 | Capacity Factor k' | 216 |
| 2.2.9.3 | Chromatographic Resolution | 216 |
| 2.2.9.4 | Factors Affecting the Resolution | 218 |
| 2.2.9.5 | Maximum Sample Capacity | 222 |
| 2.2.9.6 | Peak Symmetry | 222 |
| 2.2.9.7 | Effect of Oven Temperature Ramp Rate | 225 |
| 2.2.10 | Fast Gas Chromatography Solutions | 227 |
| 2.2.10.1 | Fast Chromatography | 227 |
| 2.2.10.2 | Vacuum Outlet (Low Pressure) Chromatography | 233 |
| 2.2.10.3 | Ultra-Fast Chromatography | 235 |
| 2.2.10.4 | Flow-Field Thermal Gradient Gas Chromatography | 237 |
| 2.2.11 | Multi-Dimensional Gas Chromatography | 239 |
| 2.2.11.1 | Heart Cutting | 241 |
| 2.2.11.2 | Comprehensive GC – GC × GC | 241 |
| 2.2.11.3 | Modulation | 245 |
| 2.2.11.4 | Detection | 246 |
| 2.2.11.5 | Data Handling | 248 |
| 2.2.11.6 | Moving Capillary Stream Switching | 249 |
| 2.2.12 | Classical Detectors for GC-MS Systems | 251 |
| 2.2.12.1 | Atomic Emission Detector (AED) | 253 |
| 2.2.12.2 | Electron Capture Detector (ECD) | 254 |
| 2.2.12.3 | Electrolytical Conductivity Detector (ELCD) | 256 |
| 2.2.12.4 | Flame-Ionization Detector (FID) | 257 |
| 2.2.12.5 | Flamephotometric Detector (FPD) | 258 |
| 2.2.12.6 | Helium Ionization Detector (HID) | 258 |

- 2.2.12.7 Nitrogen-Phosphorous Detector (NPD) 259
- 2.2.12.8 Pulsed Discharge Detector (PDD) 261
- 2.2.12.9 Photo Ionization Detector (PID) 262
- 2.2.12.10 Sulfur Chemiluminescence Detector (SCD) 265
- 2.2.12.11 Thermal Conductivity Detector (TCD) 265
- 2.2.12.12 Vacuum Ultra Violet Detector (VUV) 266
- 2.2.12.13 Olfactometry 268
- 2.2.12.14 Classical Detectors Parallel to the Mass Spectrometer 268
- 2.2.12.15 Microchannel Devices 271

References 273

2.3 Mass Spectrometry 291

2.3.1 Ionization 292

- 2.3.1.1 Electron Ionization 292
- 2.3.1.2 Chemical Ionization 295

2.3.2 Mass Analysis 313

- 2.3.2.1 Resolving Power and Resolution in Mass Spectrometry 314
- 2.3.2.2 Quadrupole and Quadrupole Ion Trap Mass Spectrometer 325
- 2.3.2.3 Sector Field Mass Spectrometer 327
- 2.3.2.4 Orbitrap Mass Spectrometer 329
- 2.3.2.5 Time-of-Flight Analyzer 333
- 2.3.2.6 Ion Mobility Analyzer 336
- 2.3.2.7 High and Low Mass Resolution in the Case of Dioxin Analysis 339

2.3.3 Isotope Ratio Monitoring GC-MS 344

- 2.3.3.1 The Principles of Isotope Ratio Monitoring 345
- 2.3.3.2 Notations in irm-GC-MS 346
- 2.3.3.3 Isotopic Fractionation 347
- 2.3.3.4 irm-GC-MS Technology 349
- 2.3.3.5 The Open Split Interface 353
- 2.3.3.6 Compound Specific Isotope Analysis 353
- 2.3.3.7 Online Combustion for $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ Determination 354
- 2.3.3.8 The Oxidation Reactor 355
- 2.3.3.9 The Reduction Reactor 355
- 2.3.3.10 Water Removal 355
- 2.3.3.11 The Liquid Nitrogen Trap 357
- 2.3.3.12 Online High Temperature Conversion for $\delta^2\text{H}$ and $\delta^{18}\text{O}$ Determination 357
- 2.3.3.13 Mass Spectrometer for Isotope Ratio Analysis 359
- 2.3.3.14 Injection of Reference Gases 361
- 2.3.3.15 Isotope Reference Materials 361

2.3.4 Acquisition Techniques in GC-MS 363

| | | |
|----------|---|------------|
| 2.3.4.1 | Detection of the Complete Mass Spectrum (Full Scan) | 363 |
| 2.3.4.2 | Recording Individual Masses (SIM) | 364 |
| 2.3.4.3 | High Resolution Accurate Mass SIM Data Acquisition | 374 |
| 2.3.4.4 | MS/MS – Tandem Mass Spectrometry | 380 |
| 2.3.5 | Mass Calibration | 388 |
| 2.3.6 | Vacuum Systems | 396 |
| | References | 400 |
| 3 | Evaluation of GC-MS Analyses | 413 |
| 3.1 | Display of Chromatograms | 413 |
| 3.1.1 | Total Ion Current Chromatograms | 413 |
| 3.1.2 | Mass Chromatograms | 415 |
| 3.2 | Substance Identification | 418 |
| 3.2.1 | Reading Mass Spectra | 418 |
| 3.2.2 | Extraction of Mass Spectra | 420 |
| 3.2.2.1 | Manual Spectrum Subtraction | 420 |
| 3.2.2.2 | Deconvolution of Mass Spectra | 425 |
| 3.2.3 | The Retention Index | 430 |
| 3.2.4 | Libraries of Mass Spectra | 434 |
| 3.2.4.1 | Universal Mass Spectral Libraries | 436 |
| 3.2.4.2 | Application Libraries of Mass Spectra | 438 |
| 3.2.5 | Library Search Programs | 443 |
| 3.2.5.1 | The NIST Search Procedure | 445 |
| 3.2.6 | Interpretation of Mass Spectra | 451 |
| 3.2.6.1 | Isotope Patterns | 461 |
| 3.2.6.2 | Fragmentation and Rearrangement Reactions | 468 |
| 3.2.6.3 | DMOX Derivatives for Location of Double Bond Positions | 471 |
| 3.2.7 | Mass Spectroscopic Features of Selected Substance Classes | 472 |
| 3.2.7.1 | Volatile Halogenated Hydrocarbons | 472 |
| 3.2.7.2 | Benzene/Toluene/Ethylbenzene/Xylenes (BTEX, Alkylaromatics) | 475 |
| 3.2.7.3 | Polyaromatic Hydrocarbons | 478 |
| 3.2.7.4 | Phenols | 480 |
| 3.2.7.5 | Pesticides | 482 |
| 3.2.7.6 | Polychlorinated Biphenyls | 492 |
| 3.2.7.7 | Polychlorinated Dioxins/Furans (PCDDs/PCDFs) | 495 |
| 3.2.7.8 | Drugs | 496 |
| 3.2.7.9 | Explosives | 498 |
| 3.2.7.10 | Chemical Warfare Agents | 498 |
| 3.2.7.11 | Brominated Flame Retardants (BFRs) | 504 |
| 3.3 | Quantitation | 505 |

| | |
|--|-----|
| 3.3.1 Acquisition Rate | 506 |
| 3.3.2 Decision Limit | 507 |
| 3.3.3 Detection Limit | 509 |
| 3.3.4 Limit of Quantitation | 512 |
| 3.3.5 Sensitivity | 514 |
| 3.3.6 The Calibration Function | 514 |
| 3.3.7 Quantitation and Standardization | 516 |
| 3.3.7.1 External Standardization | 516 |
| 3.3.7.2 Internal Standardization | 517 |
| 3.3.7.3 Standard Addition | 522 |
| 3.4 Frequently Occurring Impurities | 523 |
| References | 531 |

4 Applications 541

| | |
|--|-----|
| 4.1 Air Analysis According to U.S. EPA Method TO- 14 | 541 |
| 4.2 BTEX in Surface Water as of U.S. EPA Method 8260 | 549 |
| 4.3 Volatile Priority Pollutants | 554 |
| 4.4 MAGIC 60 – VOC Analysis | 560 |
| 4.5 irm-GC-MS of Volatile Organic Compounds | 569 |
| 4.6 Organotin Compounds in Water | 572 |
| 4.7 Analysis of Dithiocarbamate Pesticides | 577 |
| 4.7.1 Introduction | 577 |
| 4.8 Pesticides Multi-Method by Single Quadrupole MS | 584 |
| 4.9 QuEChERSER Analysis of Pesticides | 594 |
| 4.10 Pesticide Analysis with Ethyl Acetate Extraction and Automated Micro-SPE Clean-up | 599 |
| 4.11 Multi-Residue Pesticides Analysis in Ayurvedic Churna | 603 |
| 4.12 Polar Aromatic Amines by SPME | 614 |
| 4.13 Phthalates in Liquors | 619 |
| 4.14 Natural Spice Ingredients Capsaicin, Piperine, Thymol, and Cinnamaldehyde | 626 |
| 4.15 Geosmin and Methylisoborneol in Drinking Water | 632 |
| 4.16 Flavor and Fragrance Profiling by Dual-Column GC-MS | 637 |
| 4.17 Aroma Profiling of Cheese | 644 |
| 4.18 Allergens | 649 |
| 4.19 Metabolite Profiling | 656 |
| 4.20 Extractables and Leachables | 665 |
| 4.21 Volatiles in Car Interiors | 677 |
| 4.22 Azo Dyes in Leather and Textiles | 683 |
| 4.23 Fast GC of 16 Priority PAHs | 691 |
| 4.24 Environmental Contaminants in Fish | 697 |
| 4.25 Fast GC of PCBs | 712 |

| | | |
|------|---|-----|
| 4.26 | Dioxin Screening in Food and Feed | 718 |
| 4.27 | Confirmation Analysis of Dioxins and Dioxin-like PCBs | 730 |
| 4.28 | U.S. EPA 1614 Brominated Flame Retardants PBDEs | 739 |
| 4.29 | PBB Analysis by SPME | 747 |
| 4.30 | THC-A in Urine by NCI | 751 |
| 4.31 | Comprehensive Drug Screening and Quantitation | 757 |
| 4.32 | Drugs of Abuse | 762 |
| 4.33 | Structure Elucidation by CI and MS/MS | 766 |
| | References | 770 |

Glossary 787

| | |
|-----------------|-----|
| Further Reading | 858 |
|-----------------|-----|

Index 859

| | |
|----------------|-----|
| Author Index | 859 |
| Subject Index | 861 |
| Compound Index | 881 |